

City of Willoughby Hills

Interoffice Memo

Date: Thursday, March 21, 2013

To: Council President David Reichelt, Council Clerk Victoria Savage

From: Mayor Robert M. Weger

Subject: IT Hardware Quote from Paragrid

Please prepare an ordinance to accept the IT Hardware Quote from Paragrid so that we can begin the CMI upgrade. This quote is below State minimum pricing, as per the email from Ryan Berg, Paragrid CFO.

Thank you.

cc: Frank Brichacek, Finance Director



AAAQ1847
Feb 12, 2013

Quoted To:

City of Willoughby Hills
Gloria Majeski
35405 Chardon Road
Willoughby Hills, OH 44094
United States

Prepared By:

Ryan Berg
President
ryan.berg@paragrid.net
888.686.9994 x1000

Terms
Net 30
Ship Via
Ground

BK715B	HP P4300 G2 16TB MDL SAS Starter SAN	1	\$23,000.00	\$23,000.00
HA110A3	HP 3y Support Plus 24 SVC	1	\$1,300.00	\$1,300.00
579237-B21	HP ProLiant DL360 G7 Configure to Order Chassis (579237-B21)	2	\$1,100.00	\$2,200.00
633789-L21	Intel Xeon QC E5606 2.13GHZ/8MB/4.80GT/S Processor Kit	2	\$291.50	\$583.00
633789-L21	Intel Xeon QC E5606 2.13GHZ/8MB/4.80GT/S Processor Kit	2	\$291.50	\$583.00
500666-B21	HP 16GB PC3-8500R DDR3 Memory Kit (1 x 16GB)	12	\$181.50	\$2,178.00
512327-B21	HP 750W CS HE Gold Power Supply	4	\$181.50	\$726.00
532066-B21	HP DL360G6 SL 12.7mm SATA DVD	2	\$82.50	\$165.00
538696-B21	HP NC375T PCI Express Quad Port Gigabit Server Adapter	2	\$401.50	\$803.00
462968-B21	HP 256MB P-series Cache Upgrade	2	\$99.00	\$198.00
431958-B21	HP 146GB 3G SAS 10K SFF SP HDD	4	\$192.50	\$770.00
512485-B21	Hewlett-Packard ILO ADV 1-SVR INCL 1YR TS&U SW	2	\$126.50	\$253.00

Continued On Next Page ...

U4497E

3YR 4HR 24X7 CARE PACK PROLIANT DL360

2

\$753.50

\$1,507.00

Subtotal

\$34,266.00

Tax

\$0.00

Shipping

\$0.00



Top 100 Cloud Services Providers



HONORING 99 GREAT WORKPLACES
FOR TOP TALENT IN NORTHEAST OHIO



Gloria Majeski

From: Paragrid Help <help@paragrid.net>
Sent: Tuesday, February 26, 2013 2:16 PM
To: gloriamajeski@willoughbyhills-oh.gov
Subject: Re: Ticket# 24914 / WILLOUGH / Remote Access for CMI

--REPLY above this line to respond--
This ticket has been updated by George Anthony

Hi Gloria,

This is a just a sum up of our conversation this morning concerning the CMI upgrade and hardware needed.

You informed me that the Mayor will be having a counsel meeting this Thursday to get approval for getting a bids on new server hardware needed. Once that has been approved there will be a listing and other vendors will have an opportunity to bid on the project as well. We also lightly discussed the existing hardware and how it can not support the upgrade of CMI. I mentioned that the hardware listed on Dave quote is the best solution for your needs and enviroment.

To continue the CMI upgarde we will need to get a Windows server license as well for the new sql box. Dave Samic will be happy to quote that out for you. I called and left a message for Frank concerning this as well.

I have also contacted John at CMI who is incharge of implementing your CMI upgrade and gave him an update on the status as well.

If you have any other questions or concerns feel free to contact me or the Paragrid support team.

George Anthony

Full ticket details

Ticket: Remote Access for CMI
Status: Scheduled

Company: City of Willoughby Hills
Contact: Gloria Majeski
Phone: 440-918-8730
Address: 35405 Chardon Road
Willoughby Hills, OH 44094

Tue 2/26/2013/8:45 AM EST/ George Anthony (time)-

Hi Gloria, I am writing to you to let you know that we are going to have a council meeting this Thursday to give the mayor authorization to purchase new server hardware. Once that has been approved there will be a listing and other vendors will have an opportunity to bid on the project as well. We also lightly discussed the existing hardware and how it can not support the upgrade of CMI. I mentioned that the hardware listed on Dave quote is the best solution for your needs and enviroment. To continue the CMI upgarde we will need to get a Windows server license as well for the new sql box. Dave Samic will be happy to quote that out for you. I called and left a message for Frank concerning this as well. I have also contacted John at CMI who is incharge of implementing your CMI upgrade and gave him an update on the status as well. If you have any other questions or concerns feel free to contact me or the Paragrid support team.

Mon 2/25/2013/2:10 PM EST/ George Anthony (time)-

Hi Gloria, I am writing to you to let you know that we are going to have a council meeting this Thursday to give the mayor authorization to purchase new server hardware. Once that has been approved there will be a listing and other vendors will have an opportunity to bid on the project as well. We also lightly discussed the existing hardware and how it can not support the upgrade of CMI. I mentioned that the hardware listed on Dave quote is the best solution for your needs and enviroment. To continue the CMI upgarde we will need to get a Windows server license as well for the new sql box. Dave Samic will be happy to quote that out for you. I called and left a message for Frank concerning this as well. I have also contacted John at CMI who is incharge of implementing your CMI upgrade and gave him an update on the status as well. If you have any other questions or concerns feel free to contact me or the Paragrid support team.

Mon 2/11/2013/2:00 PM EST/ George Anthony (time)-

Gloria Majeski

From: Ryan Berg <ryan.berg@paragrid.net>
Sent: Thursday, March 21, 2013 12:15 PM
To: <gloriamajeski@willoughbyhills-oh.gov>
Subject: Re: quote AAAQ1847

It would be more than ordering from us and by going through the implementation is free

Sent from my iPhone

On Mar 21, 2013, at 11:43 AM, "Gloria Majeski" <gloriamajeski@willoughbyhills-oh.gov> wrote:

Mayor asks...can we order directly from CDW to simplify things?

Gloria Majeski,
Executive Assistant to Mayor Weger
City of Willoughby Hills
35405 Chardon Road
Willoughby Hills, OH 44094
440-918-8730 fax: 440-975-3535
GloriaMajeski@WilloughbyHills-OH.gov

From: Ryan Berg [<mailto:ryan.berg@paragrid.net>]
Sent: Thursday, March 21, 2013 11:32 AM
To: <gloriamajeski@willoughbyhills-oh.gov>
Subject: Re: quote AAAQ1847

They are below it actually.

Sent from my iPhone

On Mar 21, 2013, at 11:30 AM, "Gloria Majeski" <gloriamajeski@willoughbyhills-oh.gov> wrote:

Ryan: Mayor wants to know....are your quoted prices at "State bid" pricing?

Gloria Majeski,
Executive Assistant to Mayor Weger
City of Willoughby Hills
35405 Chardon Road
Willoughby Hills, OH 44094
440-918-8730 fax: 440-975-3535
GloriaMajeski@WilloughbyHills-OH.gov

From: Ryan Berg [<mailto:ryan.berg@paragrid.net>]
Sent: Wednesday, March 20, 2013 4:39 PM
To: 'gloriamajeski@willoughbyhills-oh.gov'
Subject: RE: quote AAAQ1847

In order to know the specs we need for sure and to integrate with what you already have, yes. Otherwise you would be creating "silos" of stuff that won't work together=very bad ☺ Sounds good on the bid let me know if you need further details from me. **We are on state term if that matters, typically gov't organizations are able to buy if done off GSA.**

Ryan

From: Gloria Majeski [<mailto:gloriamajeski@willoughbyhills-oh.gov>]
Sent: Wednesday, March 20, 2013 4:39 PM
To: Ryan Berg
Subject: quote AAAQ1847

Ryan: Mayor reviewed the quote that must go to bid due to the amount. George told me I could basically use the Paragrid quote for the specs, deleting the prices. Mayor's question is "do we need to us HP products or can they be another brand?" Thanks for letting me know so we can move forward on the bid process.

Gloria Majeski,
Executive Assistant to Mayor Weger
City of Willoughby Hills
35405 Chardon Road
Willoughby Hills, OH 44094
440-918-8730 fax: 440-975-3535
GloriaMajeski@WilloughbyHills-OH.gov

This will upgrade the original hardware installed in 2008. Its needed to support the changes for CMI and to be able to use the newer servers that are needed...

Again, this if from memory and will get you an official quote...it may vary a little...

From: Gloria Majeski [<mailto:gloriamajeski@willoughbyhills-oh.gov>]
Sent: Tuesday, February 12, 2013 11:15
To: Dave Samic
Cc: 'Councilman David Reichelt'
Subject: RE: Hardware Upgrades

Sure. Mayor will want a quote, too.

Gloria Majeski,
Executive Assistant to Mayor Weger
City of Willoughby Hills
35405 Chardon Road
Willoughby Hills, OH 44094
440-918-8730 fax: 440-975-3535
GloriaMajeski@WilloughbyHills-OH.gov

From: Dave Samic [<mailto:dave.samic@paragrid.net>]
Sent: Tuesday, February 12, 2013 9:38 AM
To: David Reichelt (dave@ltronicsinc.com); GloriaMajeski@WilloughbyHills-OH.gov
Cc: George Anthony
Subject: Hardware Upgrades
Importance: High

Dave / Gloria,

One of my guys, George, has alerted me that CMI is wanting to do some upgrades to the CMI software and add some newer technology. In order to do this, based off of their requirements, we are going to need to update the hardware in the environment to bring things up to spec.

Currently, the gear you guys have is over five years old and we are not able to run the servers needed for the CMI piece. Do you want to discuss this today?

Dave Samic
Principal/Director of Technology

Office Location:

6133 Rockside, Suite 100
Independence, Ohio 44131

Mailing Address Only:

16781 Chagrin Blvd #125

Shaker Heights, OH 44120

Office: 330.315.3919 x1001

Web: www.paragrid.net

